



# DYNALOCKE® DUAL-ACTION SANDER


- Combination Disc Sander & Random Orbital Sander
- Unique Recessed Switch for Easy Change of Mode



58430



**3/16" Dia. Random Orbit**  
*For Swirl-Free Finishes*



**Rotary Motion**  
*For Stripping and Blending*

## NON-VACUUM

### 3" Diameter

#### Model 58460

- Includes low profile, premium urethane sanding pad.

### 5" Diameter

#### Model 58430

- Includes low profile, premium urethane sanding pad.

### 3-1/2" Diameter

#### Model 58465

- Includes low profile, premium urethane sanding pad.

### 6" Diameter

#### Model 58435

- Includes low profile, premium urethane sanding pad.

## SELF-GENERATED VACUUM

- 1-1/4" outside diameter vacuum port for increased air flow.

### 3" Diameter

#### Model 58461

- Includes low profile, premium urethane sanding pad.

### 5" Diameter

#### Model 58431

- Includes low profile, premium urethane sanding pad.

### 3-1/2" Diameter

#### Model 58466

- Includes low profile, premium urethane sanding pad.

### 6" Diameter


#### Model 58436

- Includes low profile, premium urethane sanding pad.



# GEAR-DRIVEN SANDERS

- 5", 6" and 8" Diameters
- 900 RPM for Aggressive Material Removal



**Epicycloidal Motion**  
*Gear-Driven Tools*

## NON-VACUUM

### 5" Diameter

#### Model 58441

- Includes low profile, premium urethane sanding pad.

### 8" Diameter

#### Model 58445

- Includes low profile, premium urethane sanding pad.

### 6" Diameter

#### Model 58442

- Includes low profile, premium urethane sanding pad.

## CENTRAL VACUUM

### 6" Diameter

#### Model 58443

- Includes low profile, premium urethane sanding pad (6 holes).
- Vacuum shroud has 1" outside diameter vacuum port.

### 8" Diameter

#### Model 58446

- Includes low profile, premium urethane sanding pad (8 holes).
- Vacuum shroud has 2" outside diameter vacuum port.

### 6" Diameter

#### Model 58444

- Includes low profile, premium urethane sanding pad (8 holes).
- Vacuum shroud has 1" outside diameter vacuum port.



# 11" DIAMETER GEAR-DRIVEN SANDERS

- For Fast, Controlled Sanding
- 900 RPM for Aggressive Material Removal



**Epicycloidal Motion**  
*Gear-Driven Tools*



58040

## **Non-Vacuum**

### **Model 58040**

- Includes 56231 Hook-Face Pad.



58041

## **Central Vacuum**

### **Model 58041**

- Includes 56231 Hook-Face Pad.
- Vacuum shroud has 1-1/4" outside diameter vacuum port.



30



# DYNAFINE® DETAIL SANDER

➤ Excellent for use in Tight Corners



Orbital Motion

**13,000 RPM**

**Model 57900**

- Includes 57951 Triangular and 57593 Tear-Drop Hook-Face Pads.
- Includes 94407 Flow-Control Dynaswivel®.

**Versatility Kit**

**Model 57910**

- Includes 57900 tool with hook-face and PSA pads, Flow-Control Dynaswivel® and an assortment of abrasives.

# DYNAFINE® FINGER SANDER

➤ Excellent for use in Hard-to-Reach Areas



Orbital Motion

**13,000 RPM**


**Model 57930**

- Includes 57932 Offset Sanding Arm (with 57938 Soft Platen Pad) and an assortment of abrasives.
- Includes 94407 Flow-Control Dynaswivel®.



# DYNAFINE® “BACKSPLASH” SANDER

➤ A Must for All Solid Surface Fabricators!



**Orbital Motion**

**13,000 RPM**

**Model 58000**

- Includes 58021 and 58024 Backsplash Pads.
- Includes 94407 Flow-Control Dynaswivel®.



**Versatility Kit**


**Model 58010**

- Includes 58000 tool with five sanding pads and an assortment of PSA abrasives.

**Standard Sanding Pads**

**58021**

3/8" Radius



**58021**


3/4" Reverse Radius



- Three additional pad styles available.

# DYNAFINE® RAISED PANEL SANDER

➤ Perfect for Sanding Raised Panels & Linear Profiles



**Orbital Motion**

**13,000 RPM**


**Model 57906**

- Includes 57956 Raised Panel Pad.
- Includes 94407 Flow-Control Dynaswivel®.



# MINI-ORBITAL SANDER

- Quick, Efficient Removal of Dust Nibs and Defects
- Precise 1/8" Diameter Orbital Action



Orbital Motion



## Front Exhaust

### Model 58037

- Includes 54018 Rubber Sanding Pad, 1-1/4" diameter.
- 12,000 RPM.

### Model 58035

- Includes 54088 Vinyl-Face Sanding Pad, 1-1/4" diameter.
- 15,000 RPM.

### Model 58038

- Includes 54031 Locking-Type Foam Face Sanding Pad, 1-1/4" diameter.
- 12,000 RPM.



## Rear Exhaust

### Model 58039

- Includes 54018 Rubber Sanding Pad, 1-1/4" diameter.
- 12,000 RPM.


### Model 58038

- Includes 54031 Locking-Type Foam Face Sanding Pad, 1-1/4" diameter.
- 12,000 RPM.



# **DYNABUG® "MODEL T"**

- For Featheredging, Finishing, Sanding and Blending
- Each Model is Equipped with a Urethane Inlet Hose



**Orbital Motion**



## **NON-VACUUM**

### **4" x 4-5/16" Pad (with Clips)**

#### **Model 57920**

- Includes 57999 Vinyl-Face Pad.

### **4-1/4" x 4-1/2" "Quarter-Sheet" Pad**

#### **Model 57923**

- Includes 57998 Hook-Face Pad.

#### **Model 57925**

- Includes 56244 Vinyl-Face Pad.

## **SELF-GENERATED VACUUM**

### **4-1/4" x 4-1/2" "Quarter-Sheet" Pad**

#### **Model 58070**

- Includes 56286 Vinyl-Face Pad.

#### **Model 58075**

- Includes 56285 Hook-Face Pad.

## **CENTRAL VACUUM**


### **4-1/4" x 4-1/2" "Quarter-Sheet" Pad**

#### **Model 57928**

- Includes 56286 Vinyl-Face Pad.

#### **Model 57929**

- Includes 56285 Hook-Face Pad.



**Orbital Motion**



## **NON-VACUUM, CIRCULAR PAD**

### **5" Diameter Pad**

#### **Model 57922**

- Includes 56249 Vinyl-Face Pad.

#### **Model 57924**

- Includes 56248 Hook-Face Pad.

### **6" Diameter Pad**

#### **Model 57926**

- Includes 56269 Hook-Face Pad.


#### **Model 57927**

- Includes 56228 Hook-Face Pad.



# **DYNABUG® “JITTER-BUG” ORBITAL SANDER**

- For Featheredging, Finishing, Sanding and Blending
- 10,000 RPM Motor with 3/32" Diameter Orbit



**Orbital Motion**

## ***Non-Vacuum***

### **Model 57810**

- Includes 57850 Vinyl-Face Pad.



## ***Self-Generated Vacuum***

### **Model 57811**


- Includes 57855 Vinyl-Face Pad.



## ***Central Vacuum***

### **Model 57814**

- Includes 57855 Vinyl-Face Pad.






# DYNABUG® II ORBITAL SANDER

➤ 10,000 RPM Motor with 3/32" Diameter Orbit

## NON-VACUUM MODELS



**Orbital Motion**



### Hook-Face Pad

#### Model 58500

- Includes 56315 Sanding Pad, 74 mm wide x 109 mm long.

#### Model 58503

- Includes 56317 Sanding Pad, 80 mm wide x 130 mm long.

### Vinyl-Face Pad

#### Model 58509

- Includes 56355 Sanding Pad, 74 mm wide x 109 mm long.

### Vinyl-Face Pad with Clips

#### Model 58507

- Includes 56354 Sanding Pad, 68 mm wide x 175 mm long.
- Four abrasive sheets may be cut from sheets 229 mm wide x 280 mm long.



## SELF-GENERATED VACUUM MODELS

### Hook-Face Pad

#### Model 58501

- Includes 56316 Sanding Pad, 74 mm wide x 109 mm long.

#### Model 58504


- Includes 56319 Sanding Pad, 80 mm wide x 130 mm long.



# DYNABUG® II ORBITAL SANDER

➤ 10,000 RPM Motor with 3/32" Diameter Orbit

## CENTRAL VACUUM MODELS



**Orbital Motion**



### Hook-Face Pad

#### Model 58502

- Includes 56316 Sanding Pad, 74 mm wide x 109 mm long.

#### Model 58505

- Includes 56319 Sanding Pad, 80 mm wide x 130 mm long.

### “Delta Style” Hook-Face Pad


#### Model 58506

- Includes 56323 Sanding Pad, 99 mm wide x 143 mm long.



## MESH ABRASIVE SYSTEM

- Includes unique sanding pad for mesh style abrasives.



### Hook-Face Pad


#### Model 58508

- Includes 58504 Dynabug® II, 56319 Vacuum Pad, “Bag-in-Bag” System, Extra disposable vacuum bags and scratch-proof belt strap.



## ***DYNALINE SANDER***

- Ideal on Wood, Metals, Composites, Solid Surfaces
- In-Line Finishing Sander, 2,400 Strokes Per Minute



**In-Line Motion**



### ***NON-VACUUM***

#### ***Vinyl-Face Pad***

##### **Model 57400**

- Includes 57454 Sanding Pad, 2-3/4" wide x 8" long.

#### ***Versatility Kit***

##### **Model 57405**

- Includes 57400 tool, sanding pad and two abrasives.

#### ***Vinyl-Face Pad with Clips***

##### **Model 57407**

- Includes 57460 Sanding Pad, 2-3/4" wide x 8" long.

### ***SELF-GENERATED VACUUM***

#### ***Vinyl-Face Pad***

##### **Model 57401**

- Includes 57455 Sanding Pad, 2-3/4" wide x 8" long.

### ***CENTRAL VACUUM***

#### ***Vinyl-Face Pad***

##### **Model 57404**

- Includes 57455 Sanding Pad, 2-3/4" wide x 8" long.

## ***11" FILE BOARD SANDER***

- Ideal on Wood, Metals, Composites, Solid Surfaces
- 2,400 Strokes Per Minute, 3/8" Long Stroke

51350



#### ***11" Long Board***

##### **Model 51350**

- 57512 Sanding Pad with clips, 2-3/4" wide x 11" long.
- Pad rotates 360°.

# WET DYNORBITAL<sup>®</sup> SUPREME SANDERS

➤ 10,000 RPM Wet Random Orbital Sander

## BASIC MODELS

- Without water feed.

### 3-1/2" Diameter

**Model 57570** 3/16" Orbit

- Includes 54311 Hook-Face Pad.

### 5" Diameter

**Model 57572** 3/16" Orbit

- Includes 54325 Hook-Face Pad.

### 6" Diameter

**Model 57574** 3/16" Orbit

- Includes 54327 Hook-Face Pad.



**Model 57582** 3/32" Orbit

- Includes 54325 Hook-Face Pad.

**Model 57584** 3/32" Orbit

- Includes 54327 Hook-Face Pad.

## DELUXE MODELS

- With adjustable water feed.

### 3-1/2" Diameter

**Model 57571** 3/16" Orbit

- Includes 54311 Hook-Face Pad.

### 5" Diameter

**Model 57573** 3/16" Orbit

- Includes 54325 Hook-Face Pad.

### 6" Diameter

**Model 57575** 3/16" Orbit

- Includes 54327 Hook-Face Pad.



**Model 57583** 3/32" Orbit

- Includes 54325 Hook-Face Pad.

**Model 57585** 3/32" Orbit

- Includes 54327 Hook-Face Pad.

# WET RIGHT ANGLE ROTARY SANDER

➤ Accepts 5", 6" or 8" Diameter Pads

**0-2,000 RPM**

**Model 51474**

**0-3,100 RPM**

**Model 51476**

## DELUXE MODEL

**0-2,000 RPM**

**Model 51479**

- Includes overhose assembly.



Pad Sold Separately

# **WET DYNABUG® “MODEL T” SANDER**

- 20,000 RPM Turbine Orbital Sander
- Features “Through-the-Pad” Water Feed Design



## **5" Diameter**

### **Model 57908**

- Includes 58086 Hook-Face Pad and soft 53978 Interface Pad.

## **6" Diameter**

### **Model 57909**

- Includes 58093 Hook-Face Pad and soft 53980 Interface Pad.

# **WET DYNAFINE® ORBITAL SANDER**

- Remove Imperfections in Clear Coat and Gel Coat
- Features Unique “All-in-One” Misting System



## **13,000 RPM**

### **Model 57902**

- Features our unique “All-in-One” Misting System. The operator can spray the work surface, then remove the imperfection – all within seconds!
- Includes 2" and 3" diameter vinyl-face sanding pads. Also accepts hook-face sanding pads, sold separately.



**GEARLESS**