

# **DYNORBITAL<sup>®</sup>**

## **SILVER SUPREME SANDER**

- Supreme Power with Lightweight Comfort!
- The Most DURABLE Sander on The Market Today
- Includes Premium Weight-Mated Sanding Pad

### **12,000 RPM**

### **Non-Vacuum**

- Conversion kits available to easily convert Non-Vac to a vacuum tool.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3"	69100	69105	69110
3-1/2"	69000	69015	69030
5"	69005	69020	69035
6"	69010	69025	69040



### **12,000 RPM**

### **Self-Generated Vac**

- Ready for connection to optional portable self-contained dust collection systems.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3"	69103	69108	69113
3-1/2"	69003	69018	69033
5"	69008	69023	69038
6"	69013	69028	69043



### **12,000 RPM**

### **Central Vacuum**

- Has 1" outside dia. vacuum port for easy connection to central vacuum systems.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3"	69104	69109	69114
3-1/2"	69004	69019	69034
5"	69009	69024	69039
6"	69014	69029	69044



# **DYNORBITAL® SUPREME RANDOM ORBITAL SANDER**

- Long Regarded as The BEST Sander on The Market
- Highest-Quality Components for Industrial Use
- Includes Premium Weight-Mated Sanding Pad

## **12,000 RPM Non-Vacuum**

- Conversion kits available to easily convert Non-Vac to a vacuum tool.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3-1/2"	56870	56800	56840
5"	56880	56815	56850
6"	56890	56826	56859



## **12,000 RPM Self-Generated Vac**

- Ready for connection to optional portable self-contained dust collection systems.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3-1/2"	56873	56803	56843
5"	56883	56818	56853
6"	56893	56829	56862



## **12,000 RPM Central Vacuum**

- Has 1" outside dia. vacuum port for easy connection to central vacuum systems.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3-1/2"	56874	56804	56844
5"	56884	56819	56854
6"	56894	56830	56863



# **DYNORBITAL-SPIRIT® RANDOM ORBITAL SANDER**

- Lightweight for Light-to-Medium Duty Applications
- Ideal for use on Vertical and Contoured Surfaces
- Includes Premium Weight-Mated Sanding Pad

## **12,000 RPM Non-Vacuum**

- Conversion kits available to easily convert Non-Vac to a vacuum tool.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3"	59100	59105	59110
3-1/2"	59000	59015	59030
5"	59005	59020	59035
6"	59010	59025	59040



## **12,000 RPM Self-Generated Vac**

- Ready for connection to optional portable self-contained dust collection systems.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3"	59103	59108	59113
3-1/2"	59003	59018	59033
5"	59008	59023	59038
6"	59013	59028	59043



## **12,000 RPM Central Vacuum**

- Has 1" outside dia. vacuum port for easy connection to central vacuum systems.

Pad Diameter	3/8" Orbit Models	3/16" Orbit Models	3/32" Orbit Models
3"	59104	59109	59114
3-1/2"	59004	59019	59034
5"	59009	59024	59039
6"	59014	59029	59044



# **HIVAC DYNORBITAL-SPIRIT®**

- Small Tool with Big Power and Vacuum Capability
- 3" Diameter Random Orbital Sander

**12,000 RPM**  
**Self-Generated Vacuum**

**Model 59116** 3/32" Orbit

**Model 59115** 3/16" Orbit

- Includes 56144 Vacuum Sanding Pad.



**12,000 RPM**  
**Central Vacuum**

**Model 59118** 3/32" Orbit

**Model 59117** 3/16" Orbit

- Includes 56144 Vacuum Sanding Pad.

## **MESH ABRASIVE SYSTEMS**

- For Use with Mesh-Style Abrasive Discs
- Includes a Unique Pad and "Bag-in-Bag" System

**3" Mesh Abrasive System**

**Model 59119**

- 59116 HiVac Dynorbital-Spirit® (3/32" orbit) and 56144 Pad with "bag-in-bag" system.



**5" Mesh Abrasive System**

**Model 58052**

- 58054 Dynorbital-Spirit® and 56320 Pad with "bag-in-bag" system.



*"Bag-in-Bag" Vacuum System, with Extra Disposable Vacuum Bags and Scratch-Proof Belt Strap*

**Model 58054**

- 5" dia. Self-Generated Vacuum Dynorbital-Spirit® (3/16" orbit) and 56320 Pad only.

**6" Mesh Abrasive System**

**Model 58053**

- 59028 Dynorbital-Spirit® and 56321 Pad with "bag-in-bag" system.



**8" Mesh Abrasive System**

**Model 58412**

- 58411 Two-Hand Dynorbital® and 56322 Pad with "bag-in-bag" system.

# MINI-DYNORBITAL® SILVER SUPREME

- For Finesse Sanding and Clear Coat Spot Repair
- 3/16" Random Orbit Motion for Ultra-Smooth Finish

**5,000 RPM**

## Model 69500

- Includes 54018 pad, 1/4"-20 thread.

## Model 69503

- Includes 54037 locking-type pad.

**7,500 RPM**

## Model 69502

- Includes 54037 locking-type pad.

## Model 69504

- Includes 54018 pad, 1/4"-20 thread.



# RIGHT ANGLE MINI-DYNORBITAL®

- Ideal for Simple Spot Repair on Painted Surfaces
- 3/16" Random Orbit Motion for Ultra-Smooth Finish

**3,200 RPM**

## Model 53415

- Includes 54029 Sanding Head and male locking-type pad.

## Model 53417

- Includes 54028 Sanding Head and female locking-type pad.



## Versatility Kit

## Model 53465

- Includes 53417 tool and an assortment of sanding pads, buffing pads, glaze, finesse sanding creme, gear oil, grease, grease guns, wrenches and sample abrasives.



## 7° OFFSET MINI-DYNORBITAL®

- Excellent for Repairing Dust Nibs on Clear Coat
- 3/16" Random Orbit Motion for Ultra-Smooth Finish

**3,200 RPM**

### Model 51410

- Includes 54034 Sanding Head and 54018 Female Locking-Type Pad.

### Model 51411

- Includes 54035 Sanding Head and 54019 Male Locking-Type Pad.



**5,000 RPM**

### Model 51412

- Includes 54035 Sanding Head and 54031 Male Locking-Type Pad.

### Versatility Kit

### Model 51415

- 3,200 RPM air tool, two sanding heads, assortment of sanding pads, abrasives, wrenches, collet and backup pad.

## ANGLE HEAD MINI-DYNORBITAL®

- For Finesse Sanding and Clear Coat Spot Repair
- 3/16" Random Orbit Motion for Ultra-Smooth Finish

**3,200 RPM**

### Model 53400

- 54028 Sanding Head and 54018 Female Locking-Type Pad.

### Model 53401

- 54029 Sanding Head and 54031 Male Locking-Type Pad.

### Angle Head Kit

### Model 53402

- 3,200 RPM tool, two sanding heads, three sanding pads, adapter, collet and sample abrasives.



### Sander/Buffer Kit

### Model 53403

- 3,200 RPM tool, sanding head, hook 'n loop pad, two sanding pads, adapter, wool bonnet, terry cloth bonnet, wrenches, finesse sanding creme, glaze and sample abrasives.





# TWO-HAND DYNORBITAL<sup>®</sup>

- Excellent Comfort on Vertical Applications
- For Comfortable, Controlled Two-Hand Operation



## 12,000 RPM Non-Vacuum

- Conversion kits available to easily convert Non-Vacuum to a vacuum tool.

Pad Diameter	3/16" Orbit Models	3/8" Orbit Models
5"	58400	58415
6"	58405	58418
8"	58410	—

## 12,000 RPM Self-Generated Vac

- Ready for connection to optional portable self-contained dust collection systems.

Pad Diameter	3/16" Orbit Models	3/8" Orbit Models
5"	58401	58416
6"	58406	58419
8"	58411	—

## 12,000 RPM Central Vacuum

- Has 2" outside dia. vacuum port for easy connection to central vacuum systems.

Pad Diameter	3/16" Orbit Models	3/8" Orbit Models
5"	58409	58420
8"	58414	—

## LOW PROFILE MODEL

### 12,000 RPM

#### Model 57101

- Includes 56106 Non-Vacuum Pad.
- A versatile, lightweight, two-handed random orbital sander.



## 11" DIA. DYNORBITAL®

- Large Diameter Covers More Area in Less Time
- 3/4" Dia. Random Orbit for a Swirl-Free Finish

**2,500 RPM**  
**Non-Vacuum**

**Model 58480**

- Includes 56231 Hook-Face Pad.



**2,500 RPM**  
**Central Vacuum**

**Model 58485**

- Includes 56231 Hook-Face Pad.
- Vacuum shroud has 1-1/4" outside vacuum port for connection to external vacuum system.



## 11" DIA. ELECTRIC DYNORBITAL®

- 120 V (AC)

**0-3,200 RPM**  
**Non-Vacuum**

**Model 51582**

- Includes 56231 Hook-Face Pad.

**0-3,200 RPM**  
**Central Vacuum**

**Model 51583**

- Includes 56231 Hook-Face Pad.
- Vacuum shroud has 1-1/4" outside vacuum port for connection to external vacuum system.

